



Hartsfield syndrome

Hartsfield syndrome is a rare condition characterized by holoprosencephaly, which is an abnormality of brain development, and a malformation of the hands and feet called ectrodactyly.

During early development before birth, the brain normally divides into two halves, the right and left hemispheres. Holoprosencephaly occurs when the brain fails to divide properly. In the most severe forms of holoprosencephaly, the brain does not divide at all. These affected individuals have one central eye (cyclopia) and a tubular nasal structure (proboscis) located above the eye. Most babies with severe holoprosencephaly die before birth or soon after. In less severe cases of holoprosencephaly, the brain is partially divided. The life expectancy of these affected individuals depends on the severity of signs and symptoms.

People with Hartsfield syndrome often have other brain abnormalities associated with holoprosencephaly. Affected individuals may have a malfunctioning pituitary, which is a gland located at the base of the brain that produces several hormones. Because pituitary dysfunction leads to the partial or complete absence of these hormones, it can cause a variety of disorders. These include diabetes insipidus, which disrupts the balance between fluid intake and urine excretion; a shortage (deficiency) of growth hormone, leading to slow or delayed growth; and hypogonadotropic hypogonadism, which affects the production of hormones that direct sexual development. Dysfunction in other parts of the brain can cause seizures, feeding difficulties, and problems regulating body temperature and sleep patterns. People with Hartsfield syndrome have delayed development that ranges from mild to severe.

The other hallmark feature of Hartsfield syndrome is ectrodactyly. Ectrodactyly is a deep split in the hands, feet, or both, with missing fingers or toes and partial fusion of the remaining digits. It can affect the hands and feet on one or both sides. Other features that have been described in people with Hartsfield syndrome include premature fusion of certain bones of the skull (craniosynostosis), heart defects, abnormalities of the bones of the spine (vertebrae), and abnormal genitalia. Some affected individuals have distinctive facial features, including eyes that are widely spaced (hypertelorism) or closely spaced (hypotelorism), ears that are abnormally small or unusually shaped, and a split in the lip (cleft lip) with or without an opening in the roof of the mouth (cleft palate).

Frequency

Hartsfield syndrome appears to be a rare disorder. Fewer than 20 cases have been reported in the medical literature. For unknown reasons, most of the people who have been diagnosed with this disorder are male.

Genetic Changes

Hartsfield syndrome is caused by mutations in the *FGFR1* gene, which provides instructions for making a protein called fibroblast growth factor receptor 1 (FGFR1). This receptor interacts with proteins called fibroblast growth factors (FGFs) to trigger signaling within cells. Signaling via the FGFR1 protein is involved in many critical processes, such as cell division and the regulation of cell growth and maturation. This signaling is important for the normal development and growth of several parts of the body, including the brain, bones of the head and face (craniofacial bones), and bones in the hands and feet.

The *FGFR1* gene mutations that cause Hartsfield syndrome severely disrupt the function of the FGFR1 protein, including its ability to bind to FGFs. As a result, the receptor is unable to transmit signals properly, which impairs many aspects of normal development. It is unclear how these changes lead specifically to holoprosencephaly, ectrodactyly, and the other features of Hartsfield syndrome.

Some people with Hartsfield syndrome do not have an identified mutation in the *FGFR1* gene. In these cases, the cause of the condition is unknown. Researchers are looking for other genetic changes that may also be associated with this disorder.

Inheritance Pattern

Hartsfield syndrome can have either an autosomal dominant or autosomal recessive pattern of inheritance. Autosomal dominant inheritance means one copy of the altered gene in each cell is sufficient to cause the disorder. In these cases, the condition usually results from a new (de novo) mutation in the *FGFR1* gene that occurs during the formation of reproductive cells (eggs or sperm) or in early embryonic development. Most of these affected individuals have no history of the disorder in their family. However, in a small number of cases, people with Hartsfield syndrome have inherited the altered gene from an unaffected parent who has an *FGFR1* gene mutation only in the sperm or egg cells. This phenomenon is called germline mosaicism.

Less commonly, Hartsfield syndrome is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- Hartsfield-Bixler-Demyer syndrome
- HHES
- holoprosencephaly and split hand/foot syndrome
- holoprosencephaly, ectrodactyly, and bilateral cleft lip/palate
- holoprosencephaly, hypertelorism, and ectrodactyly syndrome

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Hartsfield syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1845146/>

Other Diagnosis and Management Resources

- GeneReview: Hartsfield Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK349073>
- The Carter Centers for Brain Research in Holoprosencephaly and Related Brain Malformations
<http://www.carterdatabase.org/hpe/>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Diabetes Insipidus - Central
<https://medlineplus.gov/ency/article/000460.htm>
- Encyclopedia: Growth Hormone Deficiency - Children
<https://medlineplus.gov/ency/article/001176.htm>

- Encyclopedia: Hypogonadotropic hypogonadism
<https://medlineplus.gov/ency/article/000390.htm>
- Health Topic: Brain Malformations
<https://medlineplus.gov/brainmalformations.html>
- Health Topic: Cleft Lip and Palate
<https://medlineplus.gov/cleftlipandpalate.html>
- Health Topic: Craniofacial Abnormalities
<https://medlineplus.gov/craniofacialabnormalities.html>

Genetic and Rare Diseases Information Center

- Holoprosencephaly ectrodactyly cleft lip palate
<https://rarediseases.info.nih.gov/diseases/2725/holoprosencephaly-ectrodactyly-cleft-lip-palate>

Additional NIH Resources

- National Human Genome Research Institute: Holoprosencephaly
<https://www.genome.gov/12512735/>
- National Institute of Diabetes and Digestive and Kidney Diseases: Diabetes Insipidus
<https://www.niddk.nih.gov/health-information/kidney-disease/diabetes-insipidus>
- National Institute of Neurological Disorders and Stroke: Holoprosencephaly Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Holoprosencephaly-Information-Page>

Educational Resources

- MalaCards: hartsfield syndrome
http://www.malacards.org/card/hartsfield_syndrome
- March of Dimes: Cleft Lip and Cleft Palate
<http://www.marchofdimes.org/baby/cleft-lip-and-cleft-palate.aspx>
- Orphanet: Hartsfield-Bixler-Demyer syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2117
- The Carter Centers for Brain Research in Holoprosencephaly and Related Brain Malformations: Information About Holoprosencephaly
<http://www.carterdatabase.org/hpe/about/>

Patient Support and Advocacy Resources

- myFace
<https://www.myface.org/>
- National Organization for Rare Disorders (NORD): Holoprosencephaly
<https://rarediseases.org/rare-diseases/holoprosencephaly/>
- National Organization for Rare Disorders (NORD): Split Hand/Split Foot Malformation
<https://rarediseases.org/rare-diseases/split-handsplit-foot-malformation/>
- Resource List from the University of Kansas Medical Center: Holoprosencephaly
<http://www.kumc.edu/gec/support/holopros.html>
- The Carter Centers for Brain Research in Holoprosencephaly and Related Brain Malformations
<http://www.carterdatabase.org/hpe/>

GeneReviews

- Hartsfield Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK349073>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22Hartsfield+syndrome%22+OR+%22Holoprosencephaly%22+OR+%22holoprosencephaly+and+split+hand+foot+syndrome%22+OR+%22holoprosencephaly%2C+ectrodactyly%2C+and+bilateral+cleft+lip+palate%22+OR+%22holoprosencephaly%2C+hypertelorism%2C+and+ectrodactyly+syndrome%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Hartsfield+syndrome%5BTIAB%5D%29+OR+%28%28holoprosencephaly%5BTIAB%5D%29+AND+%28ectrodactyly%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

OMIM

- HARTSFIELD SYNDROME
<http://omim.org/entry/615465>

Sources for This Summary

- Dhamija R, Kirmani S, Wang X, Ferber MJ, Wieben ED, Lazaridis KN, Babovic-Vuksanovic D. Novel de novo heterozygous FGFR1 mutation in two siblings with Hartsfield syndrome: a case of gonadal mosaicism. *Am J Med Genet A*. 2014 Sep;164A(9):2356-9. doi: 10.1002/ajmg.a.36621. Epub 2014 May 28.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24888332>
- GeneReview: Hartsfield Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK349073>
- Hong S, Hu P, Marino J, Hufnagel SB, Hopkin RJ, Toromanovic A, Richieri-Costa A, Ribeiro-Bicudo LA, Kruszka P, Roessler E, Muenke M. Dominant-negative kinase domain mutations in FGFR1 can explain the clinical severity of Hartsfield syndrome. *Hum Mol Genet*. 2016 Feb 29. pii: ddw064. [Epub ahead of print]
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/26931467>
- Prasad R, Brewer C, Burren CP. Hartsfield syndrome associated with a novel heterozygous missense mutation in FGFR1 and incorporating tumoral calcinosis. *Am J Med Genet A*. 2016 Aug; 170(8):2222-5. doi: 10.1002/ajmg.a.37731. Epub 2016 May 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27170295>
- Shi Y, Dhamija R, Wren C, Wang X, Babovic-Vuksanovic D, Spector E. Detection of gonadal mosaicism in Hartsfield syndrome by next generation sequencing. *Am J Med Genet A*. 2016 Sep 8. doi: 10.1002/ajmg.a.37869. [Epub ahead of print]
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27604603>
- Simonis N, Migeotte I, Lambert N, Perazzolo C, de Silva DC, Dimitrov B, Heinrichs C, Janssens S, Kerr B, Mortier G, Van Vliet G, Lepage P, Casimir G, Abramowicz M, Smits G, Vilain C. FGFR1 mutations cause Hartsfield syndrome, the unique association of holoprosencephaly and ectrodactyly. *J Med Genet*. 2013 Sep;50(9):585-92. doi: 10.1136/jmedgenet-2013-101603. Epub 2013 Jun 28.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23812909>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3756455/>
- Vilain C, Mortier G, Van Vliet G, Dubourg C, Heinrichs C, de Silva D, Verloes A, Baumann C. Hartsfield holoprosencephaly-ectrodactyly syndrome in five male patients: further delineation and review. *Am J Med Genet A*. 2009 Jul;149A(7):1476-81. doi: 10.1002/ajmg.a.32678. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19504604>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/hartsfield-syndrome>

Reviewed: October 2016

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services